Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Nordlux A/S, Østre Havnegade 34, 9000 Aalborg, DK

Model identifier: 2110496101

Type of light sou

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	LED Module		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
	Product para	ameters	
Darameter	Value	Parameter	Value

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
	nption in on- 00 h), rounded st integer	22	Energy efficiency class	F		
dicating if it refe a sphere (360°)	s flux (φuse), in- ers to the flux in , in a wide cone errow cone (90º)	2 400 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode pow pressed in W	ver (P _{on}), ex-	22,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	595	Spectral power dis-	See image		
sions without	Width	294	tribution in the	in last page		
separate control gear, lighting control	Depth	24	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-				
		Chromaticity coordinates (x and y)	0,458 0,410				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	9 0	Survival factor	0,90				
the lumen maintenance factor	0,95						
Parameters for LED and OLED mains light sources:							
displacement factor (cos φ1)	0,70	Colour consistency in McAdam ellipses	6				
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	t	If yes then replace- ment claim (W)	-				
Flicker metric (Pst LM)	0,7	Stroboscopic effect metric (SVM)	0,3				

(a)'-': not applicable; (b)'-': not applicable;

